

PROFIT TECHNOLOGY

WITH THE POWER OF OUR **BSVI** RANGE
LEAD THE CHANGE **4023TT (4**×**2)**









Your BharatBenz comes with a pool of best in class features

Safety

- Driver State Monitoring System (Optional): Identifies and alerts drivers from falling asleep or being distracted at the wheel.
- Seatbelt Reminder: Ensures superior safety to the occupants.
- Diffuser Tailpipe:
 Helps in exhaust temperature management and reduction of dust throw.
- Daytime Running Lamp:
 Ensures vehicle visibility during daytime as well.

Comfort

- Heating, Ventilation & AC (HVAC):
 High throw air conditioning and climate control for all extreme weathers.
- Air Suspended Seat (Optional):
 Ensures maximum driving comfort even in rugged terrains.
- Music System:
 For entertainment and information on the go.
- Power Windows:
 Windows that can be raised or lowered just with
 the press of a button.
- Central Locking:
 Locks the whole cabin with just a flick of the driver-side lock handle.
- Static Steering:
 Enables easier maneuverability during tight turns.



ENGINE

Designed for higher efficiency, longer life and maximum power with optimal fuel consumption to enable you to maximize your revenues.



3 PIECE BUMPER

In the event of collision, only the damaged part has to be replaced. Thus reducing the maintenance cost.



ENGINE OVERRUN BUZZER

The inbuilt buzzer system detects engine overspeeding resulting from sudden downshifting of gears (lower than the recommended shift) and provides an acoustic alarm to alert the driver. This helps prevent engine damage.



DIFFERENTIAL LOCK

Avoids the wheel spinning on slushy roads, enabling faster trip turnaround time.



FUEL THEFT PROTECTION MESH

A meshed grill is placed at the mouth of the fuel tank to prevent any fuel theft between trips.



GEAR SHIFT ADVISOR

Provides up/down indication of the gear shift to ensure optimal operation of the vehicle.



TURBOCHARGER

High boost turbocharger ensures the perfect blend of air and fuel mixture, thus reducing fuel consumption.



ENGINE BRAKE

When the engine brake is on, the constant throttle valve and the butterfly valve work in tandem to save fuel, reduce brake wear and make driving in downhill operations safer.



ANTI-ROLL BAR (Front-Std; Rear-Optional)

The anti-roll bar increases vehicle stability on application with high centre of gravity. This improves driving confidence and safety especially during cornering at high speeds.



THICKER AND DURABLE FRAME

In frame, 9mm thick frame and high strength BSK46 steel ensures higher durability and reliability.



POWER REDUCTION (PR) COMPRESSOR

The new optimized compressor operates based on the engine duty cycle to ensure better fuel efficiency.



LONG LASTING CABIN PAINT

With 800 hours of UV testing done for better cabin paint reliability.



ADVANCED AERODYNAMIC CABIN

Offers the lowest drag and add-on bumper spoiler with splitter for improved aerodynamics.



G131 WITH OPTIMAL GEAR RATIOS

Optimal gear ratios to improve gradeability and also fuel efficiency by ensuring higher operating time in top gears.



LONGER SERVICE INTERVALS

Ensures fewer number of visits to the dealership thus reducing cost of maintenance.



ELECTRONIC BRAKE FLAP

Electronically controlled system that accurately controls the exhaust brake flap to ensure efficient thermal management within the engine thereby improving fuel efficiency



SOFT CRUISE

Improved cruise control that not only ensures better driver comfort but also provides improved fuel efficiency through intelligent gradient monitoring.



TILT AND TELESCOPIC STEERING

The tilt/telescopic feature allows the drive to adjust the steering wheel to suit their driving posture.

Designed to Deliver.

The major applications suitable for BharatBenz 4023TT include the below mentioned:



SIDE WALL TRAILER



FLATBED TRAILER



BULKER



ISO CONTAINER



GAS TANKER




AUTO CARRIER

Note: All images are for illustrative purpose only.

Technical Specifications

Vehicle Dimensions	
Wheel Base (mm)	3300
Cabin	Sleeper
Loading Span (ft)/Loadbody (Cu.m)	NA
Overall Length (mm)	5780
Overall Width (mm)	2490
Overall Height (mm) (CBC)	2960
Front Overhang (mm)	1485
Rear Overhang (mm)	995
Ground Clearance (mm)	237
Engine	
Engine Model	OM 926
Maximum Power, KW	180Kw @ 2200 rpm
Maximum Torque, Nm	850 Nm @1200 - 1600 rpm
No. of Cylinders, CC	6, 7200
Emission Std	Bharat Stage VI
Transmission	
Gear Box Model & Type	G 131, 9F+1R, Mechanical, Synchromesh Gears
Clutch Type	Single Dry Plate, Hydraulic Control
Clutch Dia, (mm)	395, 3.9 mm
Axle	
Front Axle	IF 7.0
Rear Axle	RA 1:IR440 - 11
RAR	4.3/4.778
Chassis Frame & Suspension	
Frame Section (D X W X T) (mm)	288x70x9
Front Suspension	Parabolic Type Leaf Spring with 2 Hydraulic Shock Absorbers
Rear Suspension	Semi-Elliptical Leaf Spring
Anti-Roll Bar	Standard on Front Axle
Brakes	December 5 of Occupied Deciliary 11h ADC
Service Brake	Pneumatic, Foot Operated Dual Line with ABS
Parking Brake	Pneumatically Operated Hand Control Valve Ø 410 drum
Front Axle Brake	
Rear Axle Brake	Ø 410 drum
Steering Steering Tree	Hudusulia Davusu Asaistad
Steering Type Fuel Tank & Electricals	Hydraulic Power Assisted
Fuel Tank / Filling Capacity	455L/430L
Adblue Tank	60L/51L
Battery Capacity	120Ah
Voltage	24V
Performance	244
Maximum Gradeability %	26.2% (4.778 RAR) / 25.8% (4.3 RAR)
Maximum Geared Speed kmph	80 Kmph
TCD	12.8 m
Tyres (Size, Pattern)	
	Radial Tyres 10.00 R20 for 37.2t GCW, 11R20 (or) 295/90R20 for 39.5t GCW
Pattern and Size	Tubeless Tyres (295/80R22.5)
Weight	
Gross Combination Weight - GCW	(with Suitable Two Axle Trailer) 37.2t GCW/39.5t GCW

Globally Proven SCR Technology



Your truck at your fingertips



With Truckonnect, an interactive portal that uses real-time vehicle data, you can monitor and analyse your fleet and processes. The core objective of Truckonnect is to increase uptime, provide 24/7 support service, monitor real-time fleet performance and ensure the drivers' safety.



The All-round Services Package for your Truck



Ensuring Safe Journeys





Ensuring Safe Journeys

As a promise to offer a safe and hygienic cabin on our MDT and HDT trucks, we have introduced 3 safety features as part of the standard offering (Curtains in HDT Sleeper Cabin, Infection Resistant Fabric on Seat and Healthcare Kit for Drivers) and 2 additional features as accessories for sale at the dealer's end (Disinfectant Fogging Machine and UV Sterilizer Box).








Note: * Accessories only and not part of Standard fitment.

Within Reach. No Matter Where You Are.

We believe that the customer's convenience is paramount. Area sales offices in 14 leading cities and a network covering 236 locations mean that you can quickly purchase a BharatBenz truck, whenever and wherever the need arises. We are already setting benchmarks in the Indian trucking industry with well-trained sales staff, highly qualified service personnel, customized services and products and state-of-the-art infrastructure.

We are committed to delivering a superlative experience across the length and breadth of India.



Daimler India Commercial Vehicles Pvt. Ltd.

SIPCOT Industrial Growth Centre, Oragadam, Mathur Post, Sriperumbudur Taluk, Kancheepuram District - 602105, Tamil Nadu, India.

Toll Free No.: 1800-120-380380 (Service), 1800-121-380380 (Sales), 1800-120-381381 (Parts)

Website: www.bharatbenz.com

